UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/576,249	04/18/2006	Masahiko Kubota	03500.102481	8843		
	7590 02/22/200 CCELLA HARPER &	EXAMINER				
30 ROCKEFEL		MCPHERSON, JOHN A				
NEW YORK, NY 10112			ART UNIT	PAPER NUMBER		
			1795			
			MAIL DATE	DELIVERY MODE		
			02/22/2008	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Aı	Application No.		Applicant(s)			
		1	0/576,249		KUBOTA ET AL.			
Office Action Summary			xaminer		Art Unit			
		Jo	hn A. McPhersoi	n	1795			
Period fo	The MAILING DATE of this commun or Reply	nication appear	s on the cover s	heet with the co	orrespondence ad	idress		
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MANAGER IS LONGER, FROM THE MANAGER IS LONGER, FROM THE MANAGER IS LONGER IS LONGER IS LONGER IS LONGER IN THE MANAGER IS LONGER IS LONGER IN THE MANAGER IS LONGER IN THE LONGER IN THE LONGER IN THE LONGER IS LONGER IN THE LONGER	MAILING DATE s of 37 CFR 1.136(a) munication. tatutory period will ap y will, by statute, caus	E OF THIS CON In no event, however ply and will expire SI se the application to b	MMUNICATION or, may a reply be time X (6) MONTHS from the decome ABANDONED	l. ely filed he mailing date of this c) (35 U.S.C. § 133).			
Status								
	Responsive to communication(s) file	ed on 18 Anril	2006					
2a)□	Responsive to communication(s) filed on <u>18 April 2006</u> . This action is FINAL . 2b) ☑ This action is non-final.							
3)□		<i>,</i> —			secution as to the	e merits is		
٥/١	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims		-					
· · ·	Claim(s) <u>1-9</u> is/are pending in the a	nnlication						
•			from considerat	ion				
	4a) Of the above claim(s) is/are withdrawn from consideration.							
	5) Claim(s) is/are allowed.							
· ·	Claim(s) <u>1-9</u> is/are rejected. Claim(s) is/are objected to.							
•	Claim(s) are subject to restri	ction and/or ele	action requirem	ont				
		ction and/or en	ection requirem	GIII.				
Applicati	on Papers							
• —	The specification is objected to by the							
10)⊠	The drawing(s) filed on <u>18 A<i>pril</i> 200</u>	<u>6</u> is/are: a)⊠ a	accepted or b)[objected to b	y the Examiner.			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	ınder 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:								
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of the priority documents have been received in this National Stage							
* 0	application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.								
Attachmen	t(s)							
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date								
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date Notice of Informal Patent Application								
	r No(s)/Mail Date <u>4/06, 5/06, 2/08</u> .		· —	ther:	. •			

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-6 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over EP 1 380 423 [cited in the Information Disclosure Statement filed 4/18/06] (EP '423) in view of JP 2001-179990 [cited in the Information Disclosure Statement filed 4/18/06] (JP '990).

EP '423 discloses a method for producing a liquid discharge head comprising the steps of forming a mold pattern with a removable resin in a portion where a liquid flow path is to be formed on a substrate having a liquid discharge energy generating element; coating and hardening a covering resin layer on the substrate so as to cover the mold pattern; and removing by dissolution the mold pattern thereby forming a liquid flow path having a hollow structure, wherein the material for the covering resin layer which forms a liquid flow path structure comprises an epoxy resin and an onium salt generating a cation, and the removable resin is exemplified as a photodegradable positive-working resist comprising a methacrylic anhydride/methyl methacrylate copolymer with a monomer composition ratio of 10/90 and a weight-average molecular weight of 28,000. See paragraphs [0012], [0022], [0042] and [0084]; and Figures 5-12.

However, JP '423 does not disclose including an inhibitor of cationic polymerization in the covering resin layer.

JP '990 discloses a method for manufacturing an ink jet recording head comprising coating a substrate provided with ejection pressure generating elements and a solid layer occupying at least a part serving as a channel with a nozzle forming member, wherein the nozzle forming member comprises an epoxy resin, a cationic initiator and a basic substance, for example an amine (corresponding to the inhibitor of the present invention), so as to reduce development residue. See the abstracts; paragraphs [0010], [0014], [0017], [0034], [0043], [0045], [0076] and [0077] of the computer-generated translation enclosed with this Office Action; and Figures 1-6.

It would have been obvious to one skilled in the requisite art to include a basic substance, for example an amine, as taught by JP '990, in the covering resin layer utilized in the method of EP '423 because it is taught that adding an amine to a nozzle forming member comprising an epoxy resin and a cationic initiator reduces development residue produced through pattern exposure of ink ejecting nozzles.

2. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over EP 1 380 425 [cited in the Information Disclosure Statement filed 4/18/06] (EP '425) in view of JP 2001-179990 [cited in the Information Disclosure Statement filed 4/18/06] (JP '990).

EP '425 discloses a process of forming a first positive photoresist layer on a substrate including an ink discharge pressure generating element; coating a second positive resist layer; patterning the second positive resist layer to form a second flow

path pattern; patterning the first positive resist layer to form a first flow path pattern; coating a photosensitive resin composition to form a liquid flow path forming material; patterning an ink discharge port in the liquid flow path forming material; and removing the flow path patterns. See paragraphs [0109]-[0121]. Additionally, EP '425 discloses materials useable as the soluble resist layers include polymethylisopropenylketone and a copolymer of anhydrous methacrylate/methyl methacrylate, exemplified as having a monomer composition ratio or 10/90 and a weight average molecular weight of 28,000. See paragraphs [0033], [0038], [0105]-[0108] and [0122]; and Figures 1A-G, 2A-D, 9A, 10-18 and 21A. Furthermore, EP '425 discloses the liquid flow path forming material comprises an onium salt which generates cations and an epoxy resin. See paragraph [0061]. However, EP '425 does not disclose providing the liquid flow path forming material with an inhibitor of cationic polymerization.

JP '990 discloses a method for manufacturing an ink jet recording head comprising coating a substrate provided with ejection pressure generating elements and a solid layer occupying at least a part serving as a channel with a nozzle forming member, wherein the nozzle forming member comprises an epoxy resin, a cationic initiator and a basic substance, for example an amine (corresponding to the inhibitor of the present invention), so as to reduce development residue. See the abstracts; paragraphs [0010], [0014], [0017], [0034], [0043], [0045], [0076] and [0077] of the computer-generated translation enclosed with this Office Action; and Figures 1-6.

It would have been obvious to one skilled in the requisite art to include a basic substance, for example an amine, as taught by JP '990, in the liquid flow path forming

Art Unit: 1795

material in the method of EP '425 because it is taught that adding an amine to a nozzle forming member comprising an epoxy resin and a cationic initiator reduces development residue produced through pattern exposure of ink ejecting nozzles.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 9 is rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over JP 2001-179990 [cited in the Information Disclosure Statement filed 4/18/06] (JP '990).

JP '990 discloses an ink jet recording head comprising a substrate provided with ejection pressure generating elements; a channel; and a nozzle forming member, wherein the nozzle forming member comprises an epoxy resin, a cationic initiator and a basic substance, for example an amine (corresponding to the inhibitor of the present invention), whereby a development residue is prevented from being formed in an ink passage. See the abstracts; paragraphs [0010], [0014], [0017], [0034], [0043], [0045],

[0076] and [0077] of the computer-generated translation enclosed with this Office Action; and Figures 1-6.

Although the ink jet recording head of JP '990 is manufactured by a different method than the liquid discharge head of the presently claimed invention, specifically the steps of forming and removing a solid layer to form the channel (i.e. flow path) of JP '990 do not utilize a copolymer of methacrylic anhydride and methacrylate ester, the product of the prior art appears to be substantially identical to the product of the present invention because both ink jet heads comprise a nozzle forming member having the same composition, whereby the ink passages are free of development residue.

Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend upon its method of production. If the product in the product-by-process claim is the same as of obvious from a product of the prior art, the claim is unpatentable even though the prior art product was made by a different process. See MPEP 2113.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John A. McPherson whose telephone number is (571) 272-1386. The examiner can normally be reached on Monday through Friday, 8:00 AM to 4:30 PM.

Application/Control Number: 10/576,249 Page 7

Art Unit: 1795

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Huff can be reached on (571) 272-1385. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/John A. McPherson/ Primary Examiner, Art Unit 1795

JAM 2/18/08